



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/031,471	06/03/2002	Christian Legl	LTQ 1999 P 02312 US	8706
95324	7590	03/02/2011	EXAMINER	
Slater & Matsil, L.L.P. 17950 Preston Road Suite 1000 Dallas, TX 75252			ZHANG, SHIRLEY X	
			ART UNIT	PAPER NUMBER
			2442	
			NOTIFICATION DATE	DELIVERY MODE
			03/02/2011	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docketing@slater-matsil.com

Office Action Summary	Application No. 10/031,471	Applicant(s) LEGL ET AL.	
	Examiner SHIRLEY X. ZHANG	Art Unit 2442	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 December 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 17, 19-26, 28-34, 36-41 and 43-52 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 17, 19-26, 28-34, 36-41 and 43-52 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

This office action is prepared in response to a Request for Continued Examination (RCE) filed on December 21, 2010.

Claims 17, 19-26, 28-34, 36-41 and 43-52 were previously pending in the final action mailed on September 24, 2010.

In the amendments filed on December 21, 2010,

No claim is cancelled;

Claims 17, 21, 32, 47 and 51 are amended;

Claims 17, 19-26, 28-34, 36-41 and 43-52 are now pending.

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on December 21, 2010 has been entered.

Response to Amendments

2. Applicant's arguments and amendments filed on December 21, 2010 have been carefully considered. However, the amendments and arguments failed to place the application in condition for allowance for the following reasons.

Art Unit: 2442

Applicant amended claims 17, 32, 47 and 50 to now recite “signal pause duration data specifying a length of a pause between audio events”, with the underlined part being the amendments.

Examiner considers the amendment to make no substantial change to the scope of the claim because to one of ordinary skill in the art, “signal pause duration data” is data that specifies a length of a pause between audio events. The amendments merely recite the meaning of “signal pause duration data” without further limiting it.

Furthermore, although Russell might not have explicitly disclosed that the signal pause duration data specifies a length of a pause between audio events, but it would have been within the knowledge of one of skilled in the art that said length of a pause between audio events could have been easily derived from the information in audio information data block. The difference between Russell and the instant claim element, if there is, is a matter of implementation choice.

Therefore the ground of rejection previously presented by the Examiner still applies.

Further regarding the claim amendments, Applicant amended claims 21 and 51 to recite “filter out a succession of information data blocks between two adjacent signal pause data blocks” where the word “adjacent” is added.

Examiner considers this amendment to make no substantial change to the scope of the claim because in the nature of the relevant art of speech data segmentation, the speech data is segmented into information data blocks and signal pause data blocks in alternating order, with every information data block situated between two adjacent signal pause data blocks and vice

Art Unit: 2442

versa. Therefore, what is recited in the claim regarding " information data blocks between two adjacent signal pause data blocks" is implicit in the art of speech data segmentation.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. **Claims 17, 20, 26, 32-33, 41, 46 and 50** are rejected under 35 U.S.C. 103(a) as being anticipated by Russell et al. (U.S. patent No. 5,526,407, hereinafter "**Russell**"), in view of Yamamoto et al. (U.S. patent No.4,355,338, hereinafter "**Yamamoto**").

Regarding claim 17, Russell disclosed a method for digitally recording an analog audio signal, the method comprising:

(a) receiving an analog audio signal (Russell, Fig. 2 and col. 9, line 30 disclosed "analog front end", which records analog signal) containing audio information and signal pauses information (a speech signal by nature contains speech information (i.e., audio) and non-speech information (i.e. signal pauses), as evident in Russell, col. 7, lines 4-5);

(b) converting the analog audio signal into digital audio signal comprising audio information data and signal pause duration data (Russell, Fig. 2 and col. 9, lines 31-33);

(c) storing the audio information data of the digital audio signal as information data blocks and the signal pause duration data of the digital audio signal as signal pause data blocks

Art Unit: 2442

having different time durations in a memory (Russell, col. 6, lines 43-53 disclosed storing the speech stream and structure which represents categorized portions of the speech stream; Russell, col. 15 lines 8-11 further disclosed that the characterization of speech includes the phrase time duration and the presence of pauses),

wherein each information data block contains an information data block identifier and audio information data, and signal pause data block contains a signal pause data block identifier and signal pause duration data specifying a length of a pause between audio events (Russell, col. 18, lines 2-13, “a data element” and “Phrase ID” or col. 18, lines 64-66, “phrase descriptor structure” and “phrase ID”; Russell might not have explicitly disclosed that the signal pause duration data specifies a length of a pause between audio events, but it would have been within the knowledge of one of skilled in the art that said length of a pause between audio events could have been easily derived from the information in audio information data block. The difference between Russell and the instant claim element, if there is, is a matter of implementation choice);

and the audio information data and the signal pause duration data of the resulted digital audio signal represent outputs at a normal speaking speed (Russell, col. 7, lines 4-7 and col. 7, lines 13-15. In particular, col. 7, lines 13-15 disclosed "When playing the recalled speech, the present invention may optionally skip the identified speech pauses and non-speech utterances," which implies that the pauses and non-speech utterances represent output at a normal speaking speed);

(d) generating a plurality of audio information data sequences by sequentially reading the information data blocks and the signal pause data blocks (Russell, col. 14, lines 43-50 disclosed that a speech process program 136 separate the speech into phrases demarcated by perceptible

Art Unit: 2442

pauses; col. 17, line 67 disclosed “RIFF chunk” as an audio information data sequence), the audio information data sequences being separated by the signal pause data blocks if an assigned time duration of the signal pause data block is higher than a predetermined time duration (col. 17, line 64 disclosed that the silence of a specified second duration marks a signal pause).

(e) producing an index table by sequentially reading the information data blocks and the signal pause data blocks (Russell, Fig. 5 and col. 14, lines 43-67 and col. 11, lines 1-17, “tag tables” or Fig. 18 and col. 18, lines 53-61, “phrase descriptors”).

Russell did not explicitly disclose receiving an analog audio signal played at an increased speed.

However, Yamamoto disclosed a method for fast reproduction of music or language tapes, where it is known in the prior art that to fast, mass reproduce music or language tapes, the source tape can be driven at a high speed (such as 32 times the normal speed) (see Yamamoto, col. 1, lines 19-22 and lines 38-45).

One of ordinary skill in the art would have been motivated to combine Russell and Yamamoto because both disclosed system and method for converting an analog signal to a digital signal using analog-to-digital converter (Russell, Fig. 2, “Analog Front-end”; Yamamoto, Fig. 2, “A/D 9”).

Therefore, It would have been obvious for one skilled in the art to apply Yamamoto's teaching to Russell such that pre-recorded audio signal is loaded into the processing device 43 in Fig. 3 at reduced time, allowing the speech processing modules (Fig. 4, “voice print info”, “speech extraction”, “codec” codec) sufficient time to process the speech and produce output

Art Unit: 2442

without introducing a noticeable delay to the user. The combination yields the highly desirable result of providing better user experience.

Regarding claim 20, the combination of Russell and Yamamoto disclosed the method of claim 17.

Russell further disclosed wherein producing the index table comprises processing the sequentially read data blocks (col. 14, lines 43-67 and col. 11, lines 1-17).

Regarding claim 32, Russell disclosed a method for digitally recording an analog audio signal with automatic indexing, the method comprising:

(a) receiving an analog audio signal containing audio information and signal (Fig. 2 and col. 9, line 30 disclosed “analog front end”, which records analog signal; a speech signal by nature contains speech information (i.e., audio) and non-speech information (i.e. signal pauses), as evident in the disclosure in col. 7, lines 4-5);

(b) converting the analog audio signal into digital audio data comprising audio information data and signal pause duration data specifying a length of a pause between audio events (Fig. 2 and column 9, lines 31-33; Russell might not have explicitly disclosed that the signal pause duration data specifies a length of a pause between audio events, but it would have been within the knowledge of one of skilled in the art that said length of a pause between audio events could have been easily derived from the information in audio information data block; The difference between Russell and the instant claim element, if there is, is a matter of implementation choice);

Art Unit: 2442

(c) storing the converted digital audio data (col. 6, lines 44-45, “stores the speech stream in at least a temporary storage”);

(d) reading the stored digital audio data sequentially (col. 14, lines 48-49 disclosed that the speech process program 136 allocates buffers to receive the real-time speech and separate the speech into phrases, which implies that the speech process program 136 must read the real-time speech sequentially);

(e) decoding whether the digital audio data are audio information data or signal pause duration data (col. 15, lines 46-53 and col. 17, lines 63-65);

(f) storing the audio information data as information data blocks and the signal pause duration data as signal pause data blocks in a memory (column 6, lines 43-53 disclosed storing the speech stream and structure which represents categorized portions of the speech stream; col. 15 lines 8-11 further disclosed that the characterization of speech includes the phrase time duration and the presence of pauses),

wherein each information data block contains an information data block identifier and audio information data, and signal pause data block contains a signal pause data block identifier and signal pause duration data (Russell, col. 18, lines 2-13, “a data element” and “Phrase ID” or col. 18, lines 64-66, “phrase descriptor structure” and “phrase ID”); and

(g) reading the stored data blocks sequentially in order to produce a data structure for managing the indexing (col. 14, lines 43-50 disclosed that a speech process program 136 separate the speech into phrases demarcated by perceptible pauses; col. 17, line 67 disclosed “RIFF chunk” as an audio information data sequence),

Art Unit: 2442

wherein a succession of information data blocks which is not interrupted by a signal pause with a pre-determined duration being detected as an audio information data sequence whose start and end are stored in the data structure for managing the indexing (col. 17, lines 63-64 disclosed that sound of at least a certain first threshold duration followed by silence of a specified second duration indicates that a phrase has been completed; and the time the phrases began and ended are recorded).

(h) producing an index table by sequentially reading the information data blocks and the signal pause data blocks (Russell, Fig. 5 and col. 14, lines 43-67 and col. 11, lines 1-17, “tag tables” or Fig. 18 and col. 18, lines 53-61, “phrase descriptors”).

Russell did not explicitly disclose receiving the analog audio signal played at an increased speed.

However, Yamamoto disclosed a method for fast reproduction of music or language tapes, where it is known in the prior art that to fast, mass reproduce music or language tapes, the source tape can be driven at a high speed (such as 32 times the normal speed) (see Yamamoto, col. 1, lines 19-22 and lines 38-45).

One of ordinary skill in the art would have been motivated to combine Russell and Yamamoto because both disclosed system and method for converting an analog signal to a digital signal using analog-to-digital converter (Russell, Fig. 2, “Analog Front-end”; Yamamoto, Fig. 2, “A/D 9”).

Therefore, It would have been obvious for one skilled in the art to apply Yamamoto's teaching to Russell such that pre-recorded audio signal is loaded into the processing device 43 in

Art Unit: 2442

Fig. 3 at reduced time, allowing the speech processing modules (Fig. 4, "voice print info", "speech extraction", "codec" codec) sufficient time to process the speech and produce output without introducing a noticeable delay to the user. The combination yields the highly desirable result of providing better user experience.

Claim 47 is rejected under the same rationale as claim 32 as it lists elements that are all listed in **claim 32** and disclosed by Russell.

Claim 50 is rejected under the same rationale as claim 32 as it lists elements that are all listed in **claim 32** and disclosed by Russell.

Regarding claims 26 and 41, the combination of Russell and Yamamoto disclosed the method of claims 17 and 32.

Russell further disclosed wherein the digital audio data are compressed before storage (col. 9, lines 39-43, "codec" and col. 14, lines 66, "to compress the speech").

Regarding claim 33, the combination of Russell and Yamamoto disclosed the method of claim 32.

Russell further disclosed wherein the data structure produced for managing the indexing is an index table (Fig. 5 and col. 11, lines 1-27).

Art Unit: 2442

4. **Claims 19 and 34** are rejected under 35 U.S.C. 103(a) as obvious over Russell and Yamamoto, in view of Welch et al. (U.S. Patent No. 4,336,421, hereinafter “**Welch**”).

Regarding claims 19 and 34, the combination of Russell and Yamamoto disclosed the method of claims 17 and 33.

Russell further disclosed the start and end of an audio information data sequence are stored as start and end address (Russell, Fig. 5 and column 18).

Russell did not explicitly disclose that the start address and end address are for a first address pointer and a second address pointer of the index table. The examiner interprets the first address pointer and the second address pointer as the pointer to the start and end of an audio information data in the memory, as it is unclear to the examiner what a first address pointer and a second address pointer of the index table entails.

However, in the same field of endeavor, Welch disclosed storing the start and end of a speech segment as the start and end addresses in the memory (Welch, col. 13, lines 42-64).

One of ordinary skill in the art would have been motivated to combine Russell and Welch because both disclosed detecting voice sounds and pauses in speech (Russell, “Summary of the Invention” and Welch, “Summary of the Invention”), and Welch supplemented Russell’s teaching with implementation details relating to buffer management for the speech data.

Therefore, it would have been obvious for one to combine Russell and Welch such that Russell’s invention can be embodied using techniques taught by Welch.

Art Unit: 2442

5. **Claims 21-23, 30, 36-38, 45, 48 and 51** are rejected under 35 U.S.C. 103(a) as obvious over Russell and Yamamoto, in view of Freudberg et al. (U.S. Patent No. 4,696,031, hereinafter “**Freudberg**”).

Regarding claims 21, 36, 48 and 51, the combination of Russell and Yamamoto disclosed the method of claims 20, 33, 47 and 50.

Russell further disclosed filtering out a succession of information data blocks (i.e. short spoken utterances) between two adjacent signal pause data blocks that are not useful for the user (Russell, col. 16, lines 21-46).

Russell did not explicitly disclose filtering a particular minimum value for a number of information blocks do not exceed and a particular first time limit value the signal pause of the two adjacent signal pause data blocks exceeds.

However, Freudberg disclosed filtering out short bursts of energy by combining an ON time of less than 200 msec with the OFF times of the two adjacent OFF intervals to form a single OFF interval, which is essentially the same as what’s described in the claim (column 6, lines 32-49).

One would have been motivated to combine Russell and Freudberg because both disclosed silence (i.e. pause) detection and speech signal segmentation (Russell, col. 17, lines 60-65; Freudberg, col. 3, lines 28-40, “signal-ON” and “signal-OFF”).

Therefore, it would have been obvious for one to incorporate Freudberg’s method of filtering out short energy bursts using threshold values into Russell to filter out information block that are falsely detected as speech blocks so as to save system processing time and reduce error rate.

Regarding claims 22 and 37, the combination of Russell, Yamato and Freudberg disclosed the method of claims 21 and 36.

Russell did not explicitly disclose wherein the minimum value is 1.

Freudberg disclosed the minimum value for ON time is 200 msec (Freudberg, col. 6, lines 32-49).

Examiner considers the difference in the minimum value as an implementation choice that may vary in different embodiments of the same inventive idea.

The rationale for the motivation to combine Russell and Freudberg is the same as that provided in the rejection of claim 21.

Regarding claims 23 and 38, the combination of Russell, Yamamoto and Freudberg disclosed the method of claims 21 and 36.

Russell did not explicitly disclose wherein the first time limit value is 0.5 seconds.

Freudberg disclosed using an OFF interval (Freudberg, col. 6, lines 50-55).

Examiner considers the value of 0.5 seconds specified in the claim as an implementation choice of Freudberg's OFF interval, which may vary in different embodiments of the same inventive idea.

The rationale for the motivation to combine Russell and Freudberg is the same as that provided in the rejection of claim 21.

Art Unit: 2442

Regarding claims 30 and 45, the combination of Russell and Yamamoto disclosed the method of claims 17 and 32.

Russell did not explicitly disclose wherein a succession of information data blocks which is not separated by a signal pause data block whose signal pause duration data amount to a signal pause of more than 2 seconds is detected as an audio information data sequence.

However, Freudberg disclosed a signal pause detection method using an ON time to determine the minimum duration of speech intervals (Freudberg, col. 6, lines 32-49).

Examiner considers the time duration of 2 seconds recited in the present claim as an implementation choice Freudberg's ON time, which may vary in different embodiments of the same inventive concept.

6. **Claims 24-25, 31, 39-40, 46, 49 and 52** are rejected under 35 U.S.C. 103(a) as obvious over Russell and Yamamoto, in view of Imai et al. (U.S. 2001/0010037, hereinafter "**Imai**").

Regarding claims 24, 39, 49 and 52, the combination of Russell and Yamamoto disclosed the method of claims 20, 33, 48 and the apparatus of claim 50.

Russell did not explicitly disclose while processing the data, overwriting signal duration data of signal pause data blocks whose signal pause duration exceeds a particular second time limit value with signal duration data having particular nominal signal duration.

However, Imai (2001/0010037) disclosed a speech rate conversion system that replaces a non-speech interval exceeding a constant continued time with a break of the constant continued time that is shorter than the actual non-speech interval (Imai, [0034]).

Art Unit: 2442

One would have been motivated to combine Russell and Imai because both disclosed non-speech interval detection.

Therefore, it would have been obvious for one to add Imai's speech rate conversion to Russell to save storage space and adjust playback speed without losing audio information,

Regarding claims 25 and 40, the combination of Russell, Yamamoto and Imai disclosed the method of claims 24 and 39.

Imai further disclosed wherein the second time limit value is 10 seconds and the nominal signal duration is 2 seconds (Examiner considers the threshold values recited in the claim as an implementation choice of Imai's constant continued time disclosed in [0034] which may vary in different embodiments of the same inventive idea).

The rationale for the motivation to combine Russell and Imai is the same as that provided in the rejection of claim 24.

Regarding claims 31 and 46, the combination of Russell and Yamamoto disclosed the method of claims 17 and 32.

Russell did not explicitly disclose wherein, when receiving the analog audio signal, a playing speed of a data medium on which the analog audio signal is recorded can be set.

However, Imai disclosed a method for converting speech rate at a preset scaling factor using speech interval detection (Imai, "Abstract").

The rationale for the motivation to combine Russell and Imai is the same as that provided in the rejection of claim 24.

7. **Claims 28-29 and 43-44** are rejected under 35 U.S.C. 103(a) as obvious over Russell and Yamamoto, in view of Gan et al. (IEEE Publication “Implementation of Silence Compression Scheme For G.723.1 Speech Coder Using TI TMS320S75 DSP Chip”, 1997, hereinafter “**Gan**”).

Regarding claims 28 and 43, the combination of Russell and Yamamoto disclosed the method of claims 17 and 32.

Russell did not explicitly disclose wherein all the data blocks are of a same size and correspond to a particular basic unit of duration.

However, Gan disclosed an implementation of silence compression for G.723.1 coder, wherein G.723.1 coder has frame size of 30 ms and compressed frame size of 24 bytes at 6.3 kb/s coding rate.

One would have been motivated to combine Russell and Gan because both disclosed silence detection and codec.

It would have been obvious for one to incorporate Gan’s silence compression and G.723.1 into Russell as one of the possible embodiments of Russell’s speech peripheral.

Regarding claims 29 and 44, the combination of Russell, Yamamoto and Gan disclosed the method of claims 28 and 43.

Russell did not explicitly disclose wherein the basic unit of duration is 30 ms.

However, as already addressed above in the rejection of claim 28, Gan disclosed a silence compression implementation for G.723.1 codec, where the G.723.1. codec has basic frame duration of 30 ms.

Art Unit: 2442

The rationale for the motivation to combine Russell and Gan is the same as that provided in the rejection of claim 28.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SHIRLEY X. ZHANG whose telephone number is (571) 270-5012. The examiner can normally be reached on Monday through Friday 7:30am - 5:00pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glen Burgess can be reached on (571) 272-3949. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Shirley X Zhang/
Examiner, Art Unit 2442
2/25/2011